


DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 104.5"

OVERALL WIDTH WITH RUB

RAILS & FENDERETTES = 95"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
SIGNATURE SERIES



2013 FRONT EXTERIOR VIEW
SIGNATURE SERIES-I / F-350 CHASSIS

DATE: 26 OCT 12		DRAWING NO. SS-1
DWG. AAB	REV. NR	

1:18

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 104.5"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 95"
 FLOOR HEIGHT = 31"

(5) WHELEN 600 SUPER LED WARNING LIGHTS,
 (2) WHELEN 600 CLEAR HALOGEN LOAD LIGHTS:
 RED / RED / LOAD / AMBER / LOAD / RED / RED
 ALL WITH CLEAR LENSES

(5) TECNIQ S330 RED
 MINI-LED MARKER LIGHTS

(2) WHELEN 600 RED
 SUPER LED LIGHTS
 WITH CLEAR LENSES

CAST PRODUCTS
 DOOR GRABBERS

LED LICENSE
 PLATE LIGHT

ONE (1) EACH SIDE
 WHELEN
 600 LED BRAKE/TAIL,
 600 LED TURN
 600 HALOGEN BACK-UP
 LIGHTS AS FAR OUTBOARD
 AS POSSIBLE.

MUD FLAPS

COT PROTECTOR
 ON STEP EDGE

NOT TO HAVE AIR-RIDE

INDEPENDENT BUMPER WITH
 NON-SKID FLIP-UP CENTER
 STEP AND COT PROTECTOR
 ON STEP EDGE.

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
 SIGNATURE SERIES




2013 REAR EXTERIOR VIEW
 SIGNATURE SERIES-I / F-350

1:16

DATE:
 29 OCT 12
 DWG. AAB REV. NR

DRAWING NO.
 SS-2

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 104.50"
 OVERALL LENGTH = 282.5"
 MODULE LENGTH = 150"



COMPARTMENT
O.S.S #1

CLEAR OPENING: 73.75h x 16.00w
 INSIDE DIMS: 75.00h x 22.75w x 18.50d
 OXYGEN STORAGE ON RIGHT SIDE OF VERTICAL DIVIDER
 DIVIDER DEPTH = 8" TO ALLOW ALTERNATE STAIR
 CHAIR STORAGE OUTBOARD OF OXYGEN
 (1) STRAP ON LEFT SIDE OF DIVIDER

O.S.S #1A

CLEAR OPENING: 37.50h x 20.75w
 INSIDE DIM'S.: 42.50h x 24.00w x 18.50d

O.S.S #2

CLEAR OPENING: 57.75h x 28.00w
 INSIDE DIM'S.: 59.50h x 34.00w x 18.50d
 INSIDE/OUTSIDE ACCESS
 (2) ADJUSTABLE SHELVES: UPPER=FULL DEPTH; LOWER=REDUCED
 DEPTH DUE TO STAIR CHAIR ON INSIDE OF DOOR
 MOUNTING HOOKS AND STRAP ON INSIDE OF DOOR FOR
 STRYKER 6252 OR FERNO EZ-GLIDE STAIR CHAIR
 OPTIONAL SPARE TIRE STORAGE (MOUNT NOT INCLUDED AS STANDARD)
 NOTE: STAIR CHAIR AND SPARE STORAGE WILL NOT FIT AT SAME TIME

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
SIGNATURE SERIES




2013 STREETSIDE EXTERIOR VIEW
SIGNATURE SERIES-I / F-350 CHASSIS

1:28

DATE:
29 OCT 12
DWG. AAB
REV. NR

DRAWING NO.
SS-3

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 104.50"
 OVERALL LENGTH = 282.5"
 MODULE LENGTH = 150"



O.S.S #3
 CLEAR OPENING: 73.75h x 15.00w
 INSIDE DIM'S.: 75.00h x 18.00w x 18.50d
 BACKBOARD/SCOOP STORAGE

O.S.S #4
 CLEAR OPENING: 53.75h x 15.50w
 INSIDE DIM'S.: SEE PARTITION INTERIOR VIEW
 INSIDE/OUTSIDE ACCESS
 #4A CLEAR OPENING: 15.50 x 15.50w x 17.00d

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
 SIGNATURE SERIES




2013 CURBSIDE EXTERIOR VIEW
 SIGNATURE SERIES-I / F-350 CHASSIS

1:28

DATE:
29 OCT 12
 DWG. AAB
 REV. NR

DRAWING NO.

SS-4



COMPARTMENT:

- #1 DOOR OPENING: 8.75h x 44.00w
INSIDE DIMS: 10.50h x 45.50w x 16.25d
(1) ADJUSTABLE SHELF
- #2 DOOR OPENING: 5.75h x 30.00w
INSIDE DIMS: 8.50h x 31.75w x 15.00d

- #3 DOOR OPENING: 16.50h x 27.50w
INSIDE/OUTSIDE COMPARTMENT ACCESS
HINGED ACRYLIC DOORS
STAINLESS STEEL FLUSH PULL LATCHES

- #4 PULL-OUT DRAWER
INSIDE DIMS: 7.00h x 10.50w x 15.75d
STAINLESS STEEL FLUSH PULL LATCH

CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
SIGNATURE SERIES




2013 STREETSIDE INTERIOR
SIGNATURE SERIES-I

1:18

DATE:
23 OCT 12
DWG. AAB
REV. NR

DRAWING NO.
SS-5



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
 SIGNATURE SERIES



2013 CURBSIDE INTERIOR VIEW
 SIGNATURE SERIES-I

1:18

DATE:
 29 OCT 12
 DWG. AAB REV. NR

DRAWING NO.
 SS-6

PROAIR 935 HEAT/COOL
SYSTEM

CHROME LOCKING
LEVER LATCHES

OPTIONAL
STORAGE FOR
(2) FERNO
521 BRACKETS

PDQ

PASS
THROUGH
OPENING

②

①

③

④

EXHAUST VENT LOCATION

12VDC POWER POINT OUTLET
125VAC OUTLET

SYSTEM ACTIVE/CHECK-OUT SWITCH,
SIDE SCENE DISABLE/POWER LOCKS

ASSIST HANDLE

← INSIDE/OUTSIDE ACCESS

COMPARTMENT

#1 DOOR OPENING: 12.25h x 13.75w
INSIDE DIMS: 12.25h x 13.75w x 19.75d
HINGED ACRYLIC DOOR
STAINLESS STEEL FLUSH PULL LATCH

#2 DOOR OPENING: 11.00h x 30.50w
INSIDE DIMS: 16.00h x 34.00w x 14.00d
ACTUAL DIMENSIONS MAY VARY
ALUMINUM SLIDING DOORS

#3 DROP-DOWN HINGED ALUMINUM DOOR
WITH STAINLESS STEEL FLUSH PULL LATCH
OPENING DIMS: 6.50h x 26.00w
INSIDE DIMS: 7.50h x 26.00w x 20.00d

#4 DOOR OPENING: 40.50h x 25.25w
INSIDE DIMS: 41.00h x 27.75w x 20.00d
RECESSED .375" ACRYLIC DOORS WITH FULL LENGTH HANDLES
STAINLESS STEEL FLUSH PULL LATCHES
(2) ADJUSTABLE SHELVES

CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
SIGNATURE SERIES



2013 PARTITION INTERIOR VIEW
SIGNATURE SERIES-I

1:14

DATE: 26 OCT 12	
DWG. AAB	REV. NR

DRAWING NO. SS-7

ATTENDANT NET

RECESSED
SHARPS/WASTE

ALUMINUM PANEL
ZOLATONE FINISH
WITH LATCH ACCESS

ALUMINUM PANEL
ZOLATONE FINISH
WITH LATCH ACCESS

RED/WHITE REFLECTIVE STRIP
ON INSIDE OF EACH DOOR

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
SIGNATURE SERIES




2013 REAR INTERIOR VIEW
SIGNATURE SERIES-I

1:13

DATE:	23 OCT 12
DWG.	AAB
REV.	NR

DRAWING NO.

SS-8



* ONE (1) ANTENNA BASE LOCATED OUTBOARD OF DOME LIGHT WITH COAX SERVICE LOOP

STRYKER CENTER MOUNT COT HARDWARE

 = (2) RECESSED CAST PRODUCTS CEILING IV HANGERS

HEAD ROOM = 68"
OVERALL WIDTH WITH RUB
RAILS & FENDERETTES = 95"
MODULE LENGTH = 150"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

BRAUN TYPE-I
SIGNATURE SERIES



2013 FLOOR VIEW
SIGNATURE SERIES-I

1:24

DATE: 23 OCT 12	
DWG. AAB	REV. NR

DRAWING NO. SS-9
